

DETAIL A

*IF A 4" COVER CAN NOT BE PROVIDED A PAVED DITCH SHALL BE CONSTRUCTED AS SHOWN IN DETAIL C.

- 1. WIDTH OF CONCRETE SLAB SHALL BE THE SAME AS THE TRENCH WIDTH IN ACCORDANCE WITH SECTION 550 OF THE STD. SPECIFICATIONS, OR 3' MIN.
- 2. CONCRETE FOR SLAB, HEADWALL AND PAVED DITCH SHALL BE PAID FOR AT THE CONTRACT UNIT PRICE PER CUBIC YARD FOR MISCELLAMEOUS CONCRETE."

NOTES I. ANY STORM SEWER OR FIELD TILE OUTLET INTO A DITCH SHALL HAVE A HEADWALL BUILT IN ACCORDANCE WITH THIS DETAIL.

2. COST OF FURNISHING AND INSTALLING WIRE

LESS THAN 58# PER 100 SQ. FT.


END VIEW

MESH SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER CUBIC YARD FOR


MISCELLANEOUS CONCRETE. WIRE MESH TO WEIGH NOT

VAR.


3. COST OF FURNISHING AND INSTALLING WIRE MESH SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER CUBIC YARD FOR MISCELLANEOUS CONCRETE. WIRE MESH TO WEIGH NOT LESS THAN 58* PER 100 SQ. FT.



DETAIL C



SECTION B-B






F.A.U. RTE.	SECTION	COUNT	Y	TOTAL SHEETS	SHEET NO.
6108	***	LA SAL	LE	679	297
STA.		TO STA.			
FED. ROAD	DIST. NO.	ILLINOIS FED.	AID	PROJECT	

*** (70X,71X)RS-1, (71X-VBR)DM CONTRACT NO. 66225

ALTERNATE MATERIALS FOR WALLS	Т				
PRECAST REINFORCED CONCRETE RISERS					
CONCRETE MASONRY UNIT					
MONOLITHIC CONCRETE					
BUILDING BRICK, GRADE SW FROM CLAY OR SHALE	8"				
CONCRETE BUILDING BRICK, GRADE A	8"				


NOTES

- 1. THE CONTRACT UNIT PRICE FOR FIELD TILE JUNCTION VAULT SHALL INCLUDE THE COST OF FURNISHING AND PLACING THE FRAME AND GRATE OR PRECAST CONCRETE LID AND WHEN REQUIRED, THE SAND CUSHION.
- 2. ALL FIELD TILE JUNCTION VAULTS SHALL BE 2'-0" IN DIAMETER UNLESS OTHERWISE NOTED ON THE PLANS.





± 145#




611-2



DATE: 06/06/03

GREENE & BRADFORD, INC. STANDARDS-10 PROJECT: 01194_B_S

03/03/04-RPB FAU RTE. 6108 (IL RTE. 351) LASALLE CO.



EXIST 10' LENGTH PIPE DRAIN (ONE PIECE)
TILE DIAMETER=EXISTING TILE DIA.+2"
(6" MIN. DIA.)

SECTION A-A

CLASS SI CONCRETE HEADWALLS

1"=5Ø' 11/18/Ø3 IDOTPL-50

CHECKS INT. DATE REASON